

上海台菱电梯有限公司
SHANGHAI TOPLANE ELEVATOR CO., LTD.

地址：上海临港新城书院都市产业园丽正路1659号
电话：+86-21-58198866 传真：+86-21-58194366
网址：www.tailingsh.com 邮箱：info@tailingsh.com
邮编：201304

Add: NO.1659, Lizheng Road, Shuyuan Metropolis Industrial Park, Lin-gang New Town, Shanghai, China
Tel: +86-21-58198866 Fax: +86-21-58194366
Http://www.tailingsh.com E-mail: info@tailingsh.com
P.C: 201304

上海台菱电梯有限公司营销中心
SHANGHAI TOPLANE ELEVATOR CO., LTD.
MARKETING CENTER

地址：上海市嘉定区嘉新公路835弄100号
电话：021-56489759
传真：021-56489760
邮编：201801

Add: No. 100, lane 835, jiaxin road, jiading district, Shanghai
Tel: 021-56489759
Fax: 021-56489760
P.C: 201801



扫描二维码
进入上海台菱电梯官网



SHANGHAI TOPLANE ELEVATOR

安全空间 美好生活
Safe space Glorious life

全国免费服务热线 / **400-820-7385**
National free service hotline

本书为一般信息类出版物，我们保留随时更改产品设计和说明的权利。
本书的任何字句，无论其字面意思或含义，对于任何产品及产品的用途和质量，或者任何购销合同条款的表述与更改均不承担任何责任。
由于印刷工艺的限制，实际加工的颜色可能与本册略有不同之处，最终造型可根据实际材料和色样决定。

It is an ordinary information publication. We keep the right of alter the product design and description at any time.
If there is any dispute out of the literal meaning of any product description, use or quality; the description and alteration of any sales contract, our company will not bear any responsibilities therefrom.
Because of the restriction of the printing technology if there is any slight difference between the actualy machining color and that from this pamphlet, please take the actual material and color sample as the criterion.

2019年02月份印刷

STVA 品牌传媒 0273-88133800 13611316781

上海台菱电梯有限公司
SHANGHAI TOPLANE ELEVATOR CO., LTD.



公司简介

Company profile

注册资金

2.18 亿

The registered capital is 218 million RMB.

占地面积

28000 平方米

It covers an area of 28,000 square meters.



安全空间 美好生活

上海台菱电梯有限公司位于上海浦东自贸区临港片区，依托上海人才、资金及配套能力等方面的资源优势，以“依海派文化，创国际名牌”为己任，成立了集研发、制造、工程及维保服务一体化的电梯高科技企业。自1998年成立至今，随着上海浦东改革开放的进程，公司也逐步发展成为国内外知名的电梯制造企业。近二十年的行业积累，确保了“上海台菱”电梯运行安全、设计时尚、服务完善的产品特质。

“海纳百川、追求卓越、开明睿智、大气谦和”是我们对“海派文化”精神内涵的理解，我们将以此为载体，引领城市的发展和进步。

上海台菱电梯秉承专业化的完善服务，竭诚为您提供安全的出行保证，创建美好生活！

Safe space Glorious life

SHANGHAI TOPLANE ELEVATOR CO., LTD. is located in Pudong Self-Trade Zone, Shanghai, China. It is backed by resource advantages such as talent, capital, conveying capacity in Shanghai etc. It relies on rich Shanghai culture to create a famous international brand. It establishes high-tech elevator enterprise which integrates the research, development, manufacture, engineering, repair, maintenance service into one. Since the company establishment in 1998, following big progress in reform and opening to outside world in Pudong, China, the company has gradually developed into a world-famous elevator manufacture enterprise. During nearly 20 years' industrial accumulation, it ensures the elevator properties of safe elevator operation, popular design, perfect service of "Shanghai TOPLANE ELEVATOR".

All rivers go to sea. TOPLANE pursues splendor with intelligent, democratic, modest and imposing spirit. It is also connotation of Shanghai culture. Here-from we lead a grand city development and progress.

SHANGHAI TOPLANE ELEVATOR CO., LTD. adheres to professional and perfect services. It wholeheartedly provides you with safe travel guarantee. Let's jointly bring about a glorious life together!

小机房乘客电梯

Small machine room passenger elevator

以小见大 智能超群

除采用高效的智能化控制系统外，上海台菱小机房电梯还采用小型化曳引机以及控制柜薄型化设计，令电梯的机房更小、布置更紧凑，台菱电梯新一代的小机房系列产品，真正落实企业的节能理念。

Greatness in trivialness, intellectual and outstanding


Apart from the effective and intellectual control system, Shanghai TOPLANE small machine room elevator also applies small traction machine and thin control cabinet design. It brings about the smaller lift machine room with the more compact layout. New generation small machine room serial goods of TOPLANE truly fulfill energy-saving purpose of the enterprise.

大幅节省空间

机房只是井道的一个延伸，建造方便，成本较低。紧凑型无齿轮曳引机的应用为机房留出更大的空间。

Greatly saving the space

Machine room is only extension of the shaft. It is convenient in the construction and low in the cost. It leaves a larger space by using the compacting gearless traction machine.



小而精巧

为建筑节约空间，有效降低建筑成本。

Small and exquisite

It saves the building space and effectively reduces the building cost.

小而高效

实现电动机的小型化和高效率，综合节能高达40%。

Small and effective


It fulfills small and effective motor operation. Comprehensive energy-saving rate is as high as 40%.

小而美观

以小见大，尽现无限繁华美景。

Small and attractive

See big things through small ones. It fully displays the prosperous and beautiful scenes.



无机房乘客电梯

Machine roomless passenger elevator

没有了机房， 使你的建筑空间大大增加

取消机房，将整个电梯置于井道内，让建筑师或开发商能够更为自由地进行设计，可实现电梯设备总面积节省25%，空间占用率减少40%。既提升了建筑美感，又节约了建筑成本。

Without a machine room, your building space can be greatly increased



It cancels machine room and puts the whole elevator in the shaft. It allows more free design for architects or contractors. It can save 25% of total elevator equipment area, reduce 40% of space. It increases the building aesthetics, saves the construction cost.

责任芯，未来心

上海三菱无机房乘客电梯占据更少空间，使您更有效地利用建筑空间。它能节约建筑时间、材料和成本。将机房与井道融为一体的设计，高效率的安装工作，保证不会因为电梯安装而给工程带来任何影响。

Responsibility, bright future

Shanghai TOPLANE machine roomless passenger elevator take less space, which enables you to effectively utilize the construction space. They save the construction time, materials and costs. The combined design of machine room together with the hoist-way and highly effective installation ensures affect freeness to the engineering caused by the installation of elevators.



节约建筑面积10%
It saves 10% of the building area

节约电能40%
It saves 40% of the electric energy

提高效率25~30%
It enhances 25~30% of the efficiency



担架电梯



Stretcher elevator

人性设计，功能丰富

满足紧急运送病人的需要，采用人性化设计，配置整套尖端设备，运行平稳舒适。轿厢宽敞明亮，不仅具有普通载客功能，更可容纳担架，同时还为人们搬运较大家具提供了方便。

Human-centered design, rich functions

It satisfies the needs of emergency patients' delivery. It applies human-centered design and is equipped with a full set of top equipments. It is smooth and comfortable in running. It has bright and broad car. It not only has ordinary passenger-transport functions, furthermore, it can contain stretch. Meanwhile, it is convenient for the people to carry large furniture.

量身定做，安全便捷

上海台菱担架电梯，可为您的建筑量身设计。采用高强度型材制作而成的轿厢，可承载各类较重担架，安心运送病人或大件物品，有效保护人们及物品的安全。

Safe and convenient custom-made TOPLANE stretch elevator

Shanghai TOPLANE stretcher elevator has been specially designed for your building. It applies high strength section materials to produce the elevator cars. It can bear various kinds of heavy stretchers. It safely delivers the patients/goods. It effectively protects the security of both the people and the goods.





STL-JX01

标配 Standard

吊顶：不锈钢，LED照明
通风方式：直接送风，轴流风机
轿壁：发纹不锈钢板
地板：PVC

Ceiling: Stainless steel, LED lighting
Ventilating mode: Direct blast Axial-flow fan
Car wall: Hairline stainless steel plate
Floor: PVC



扫描二维码，
观看电梯360°轿厢

乘客电梯轿厢标准配置

备注：更多样式向厂家索取
Note: For more designs,
please kindly inquire the factory, thanks!

Passenger elevator standard car configuration

操纵箱
Operatal panel



STL-CZ801
标配 Standard
发纹不锈钢
stainless steel hairline




STL-XS801
标配 Standard
无底盒外呼
None bottom box

吊顶
Ceiling



STL-JD01
不锈钢，LED照明
Stainless steel, LED lighting

厅门
Landing door



STL-TM01
厅门首层标配发纹不锈钢
The first floor of the hall door is standard with stainless steel hairline



观光电梯

Observation elevator

超然享受移动风景


精致的观光电梯不仅能够提升楼宇的档次，还能成为整个大厦的一个亮点。

上海台菱观光电梯是一道移动的风景，有着精致的视觉美感和完美的乘坐舒适感。其采用现代新材料和新型全电脑、矢量型变频调速（VVVF）控制技术，融合了数据网络化系统和模块化结构及最新加工工艺制造。

Let's superiorly enjoy a beautiful mobile scene


Fine and exquisite Observation elevator enhances the grade of the building. Furthermore, it becomes a highlight in the whole mansion.

Shanghai TOPLANE observation elevator enjoys mobile scenes. It has delicate visual aesthetics, the perfect and comfortable travel. It applies new modern materials, the novel vector type variable frequency speed regulation (VVVF) control technology. It merges with data network system, modular structure, the latest machining technology for manufacture.




不同的造型设计


Different model designs



半圆型
Semi-circular shaped



菱型
Cutting-angle-type



正方形
Square shaped



展望型
Future prospects

图中蓝色线条部分为观光面透明玻璃。

Graphic blue line part shows observation face transparent glass.

备注：更多样式向厂家索取

Note: For more designs, please kindly inquire the factory, thanks!

观光电梯轿厢标准配置

Observation elevator standard car configuration



展望型轿厢

Panoramic car

STL-GJX01 标配 Standard

- 上下罩：钢板喷涂加装饰灯
- 观光壁：安全夹胶玻璃
- 装饰顶：镜面不锈钢，亚克力拱顶，筒灯
- 轿厢壁：发纹不锈钢板
- 扶手：不锈钢单管
- 地板：PVC

- Upper / lower cover: Painted steel plate and decoration lamp
- Panorama wall: Safety laminated glass
- Decoration ceiling: Mirror stainless steel, acrylic arch, down lamp
- Car wall: Hairline Stainless steel panel
- Handrail: Stainless steel mono-tube
- Floor: PVC



菱形轿厢

Diamond car

STL-GJX03 标配 Standard

- 上下罩：钢板喷涂加装饰灯
- 观光壁：安全夹胶玻璃
- 装饰顶：中部圆形亚克力顶板，两侧筒灯
- 轿厢壁：发纹不锈钢板
- 扶手：不锈钢单管
- 地板：PVC

- Upper / lower cover: Painted steel plate and decoration lamp
- Panorama wall: Safety laminated glass
- Decoration ceiling: Central round acrylic top panel, two-side down lamps
- Car wall: Hairline stainless steel panel
- Handrail: Stainless steel mono-tube
- Floor: PVC



圆形轿厢

Circular car

STL-GJX06 标配 Standard

- 上下罩：钢板喷涂加竖条图案
- 观光壁：安全夹胶玻璃
- 装饰顶：影像加两侧筒灯
- 轿厢壁：发纹不锈钢板
- 扶手：不锈钢双管
- 地板：PVC

- Upper / lower cover: Painted steel plate and vertical pattern
- Panorama wall: Safety laminated glass
- Decoration ceiling: Image and two-side down lamps
- Car wall: Hairline stainless steel panel
- Handrail: Stainless steel double-tube
- Floor: PVC

医用电梯


Hospital elevator

多种开门方式

为满足不同进出要求，上海台菱医用电梯有井道单侧开门，井道前后分别开门，以及前后贯通开门三种方式供选择，与医院建筑结构灵活匹配。

Multiple door-opening modes

In order to meet different requirements for come and go in the hospitals, the hospital lift has well single-side door open, well front-and -after respective door open, front & rear opposite door open (optional) for you choice. It flexibly matches with the hospital construction structures.



STL-B01 标配 Standard

吊顶：不锈钢框架，亚克力灯饰
轿壁：发纹不锈钢
扶手：无
轿底：PVC地板

Car ceiling: Stainless steel framework, acrylic light decoration
Car wall: Hairline stainless steel
Handrail: None
Car bottom: PVC floorboard



STL-CZB001

载货电梯

Freight elevator

安装简易高效


在电梯应用中，安装难易也是影响货运条件的重要因素。上海台菱载货电梯能为客户提供高效易行的安装方案，保证建筑工程的正常进度。

Easy, effective and convenient installation

In elevator application, how easy to install is a key factor to goods transport conditions. Shanghai TOPLANE freight elevator provides extensive customers with easy, effective and convenient installation plans. It ensures normal schedule of building projects.




开门方式 Door opening mode




操纵盘

Operation panel




STL-CZ1101
标配 Standard



STL-XS1101
标配 Standard
无底盒外呼
Call out of bottomless box

地板 Floor



普通花纹钢板 I (标配)
Ordinary checkered steel plate I
(Standard)

厅门 Landing door



中分双折式
Double-folded center
opening type



旁开双折式
Double-folded side
opening type

载货电梯标准配置

Freight elevator standard configuration

备注：更多样式向厂家索取
Note: For more designs,
please kindly inquire the factory, thanks!



STL-H01

轿顶：不锈钢框架，LED照明
轿壁/轿门：喷涂钢板
地板：花纹钢板

标配 Standard

Car ceiling : Stainless steel framework,
LED lighting
Car wall/Car door : Painted steel
Floor : Checkered plate

乘客电梯轿厢装潢(选配)

Passenger elevator car decoration(optional)



STL-JX02 选配 optional

吊顶：钛金不锈钢或烤漆边框组合，LED照明，圆形大理石纹板柔光映衬
 轿壁：侧壁和后壁中间金色8K蚀刻圆形如意图案，两边为传统图纹蚀刻板
 扶手：木质扶手
 地板：PVC/大理石



Ceiling: Combination of titanium stainless or stoving varnish frame ,LED lighting ,round marbling board soft light
 Car wall: Gold 8K etching round Ruyi pattern in side and back wall,traditional pattern etching board in side boards in two sides
 Handrail: Wooden handrail
 Floor: PVC/marble



STL-CZ802
 选配 optional
 一体式操纵箱
 Integrated control box
 7寸真彩显示
 7" true-color displaying



STL-XS302
 选配 optional
 钛金不锈钢
 Titanium stainless steel

Titanium stainless steel



STL-JX03 选配 optional

吊顶：镜面不锈钢框架，中间亚克力喷绘顶板，四周筒灯点缀
 通风方式：直接送风，轴流风机
 轿壁：玫瑰金、镜面、蚀刻不锈钢
 扶手：无
 地板：PVC/大理石



Ceiling: Mirror stainless steel frame, central acrylic paint-jet top panel, down lamp decoration at four sides
 Ventilating mode: Direct blast Axial-flow fan
 Car wall: Rose gold, mirror, etching stainless steel
 Handrail: None
 Floor: PVC/marble

备注：更多样式向厂家索取

Note: For more designs, please kindly inquire the factory, thanks!



STL-CZ803
 选配 optional
 一体式操纵箱
 Integrated control box



STL-XS303
 选配 optional
 发纹不锈钢
 stainless steel hairline

stainless steel hairline

乘客电梯轿厢装潢(选配)

Passenger elevator car decoration(optional)

备注：更多样式向厂家索取

Note: For more designs, please kindly inquire the factory, thanks!



STL-JX04 选配 optional

吊顶：镜面不锈钢，亚克力透光板，四周筒灯
轿壁：镜面，蚀刻组合，发纹组合
扶手：不锈钢管亚光短纹
轿门：按后壁辅助板镜面蚀刻
地板：PVC/大理石




Ceiling: Mirror stainless steel, acrylic transparent plate, down light around
Car wall: Mirror, etching combination, hair pattern combination
Handrail: Stainless steel pipe matte short grain
Car door: mirror etching of auxiliary plate on rear wall
Floor: PVC/marble



STL-CZ803 选配 optional
一体式操纵箱
Integrated control box

STL-XS303 选配 optional
发纹不锈钢
stainless steel hairline




STL-JX05 选配 optional

吊顶：钛金镜面蚀刻，吸顶灯，LED筒灯
轿壁：大理石、镜面不锈钢蚀刻
镀钛，钛金镜面
扶手：无
地板：PVC/大理石



Ceiling: Titanium gold mirror etch, ceiling lamp, LED down lamp
Car wall: Titanium plating on marble and mirror stainless steel, titanium gold mirror
Handrail: None
Floor: PVC/marble



STL-CZ802 选配 optional
一体式操纵箱
Integrated control box
7寸真彩显示
7" true-color displaying

STL-XS302 选配 optional
钛金不锈钢
Titanium stainless steel

观光电梯轿厢装潢(选配)

备注：更多样式向厂家索取

Note: For more designs, please kindly inquire the factory, thanks!

Observation elevator car decoration (optional)



STL-GJX07 选配 Optional

上下罩：钢板烤漆，镜面不锈钢，亚克力
 观光壁：安全夹胶玻璃
 装饰顶：不锈钢，亚克力
 轿壁：发纹不锈钢
 扶手：不锈钢管
 地板：PVC/大理石

Car cover: Back enamel steel, mirror stainless steel, acrylic
 Observation wall: Safety laminated glass
 Decoration ceiling: Stainless steel, acrylic
 Car wall: Hairline stainless steel
 Handrail: Stainless steel tube
 Floor: PVC/marble



STL-GJX08 选配 Optional

上下罩：钢板烤漆
 观光壁：安全夹胶玻璃
 装饰顶：镜面不锈钢，亚克力灯饰
 轿壁：发纹不锈钢
 扶手：不锈钢双管
 地板：PVC/大理石

Car cover: Steel plate of the lacquer that bake
 Observation wall: Safety laminated glass
 Decoration ceiling: Mirror stainless steel, acrylic lighting decoration
 Car wall: Hairline stainless steel
 Handrail: Stainless steel double tube
 Floor: PVC/marble



STL-GJX09 选配 Optional

上下罩：阶梯五边形钢板烤漆加装饰灯
 观光壁：安全夹胶玻璃
 装饰顶：中部圆形亚克力顶灯，两侧筒灯
 轿壁：发纹不锈钢
 扶手：不锈钢单管
 地板：PVC/大理石

Car cover: Stepped pentagon steel plate baked enamel, decoration lamp
 Observation wall: Safety laminated glass
 Decoration ceiling: Central round acrylic ceiling lamp, down lamps on both sides
 Car wall: Hairline stainless steel
 Handrail: Stainless steel tube
 Floor: PVC/marble



STL-GJX10 选配 Optional

上下罩：钢板烤漆
 观光壁：安全夹胶玻璃
 装饰顶：镜面不锈钢，亚克力，筒灯
 轿壁：镜面不锈钢
 扶手：不锈钢管
 地板：PVC/大理石

Car cover: Back enamel steel
 Observation wall: Safety laminated glass
 Decoration ceiling: Mirror stainless steel, acrylic, down lamp
 Car wall: Mirror stainless steel
 Handrail: Stainless steel tube
 Floor: PVC/marble

人机界面 (选配)

Human-machine interface (optional)

备注：更多样式向厂家索取

Note: For more designs, please kindly inquire the factory, thanks!



STL-CZ804
选配 Optional

发纹不锈钢
Hairline stainless steel




STL-XS304
选配 Optional



STL-CZ805
选配 Optional

发纹不锈钢, 亚克力
Hairline stainless steel, acrylic



STL-XS305
选配 Optional



STL-CZ806
选配 Optional

发纹不锈钢, 亚克力
Hairline stainless steel, acrylic



STL-XS306
选配 Optional



STL-CZ807
选配 Optional

镜面不锈钢, 触摸按钮
Mirror stainless steel, touch button




STL-XS307
选配 Optional



STL-CZ808
选配 Optional

钛金不锈钢, 触摸按钮
titanium stainless steel, touch button



STL-XS308
选配 Optional



STL-CZ809
选配 Optional

玫瑰金, 触摸按钮
Rose gold, touch button



STL-XS309
选配 Optional

人机界面 (选配)

Human-machine interface (optional)



STL-CZ810
选配 Optional



STL-XS310
选配 Optional

按钮发光颜色 Button Flickering Colors

红色 Red (标配 Standard)

蓝色 Blue 白色 White 双色光 Double color

由于印刷工艺的限制，实际加工的颜色可能与目录略有不同，最终选型可根据实际材料和色样决定。
Because of restrictions in aspect of printing craft and technology, there will be slight difference between colors in this catalogue, the final model selection can be decided according to the actual material and color specimen.



备注：更多样式向厂家索取
Note: For more designs, please kindly inquire the factory, thanks!

到站灯 Arrival Gong



STL-DZ01



STL-DZ02



STL-DZ03



STL-DZ04



STL-DZ05

可选外呼盒显示 Optional external call box display



STL-T802

4.3寸液晶显示
4.3" Liquid crystal display (LCD)



STL-T803

4.3寸液晶显示
4.3" Liquid crystal display (LCD)



STL-T804

4.3寸真彩显示
4.3" True color display

可选操纵箱显示 Optional control box display



STL-T805

6寸液晶显示
6" Liquid crystal display (LCD)



STL-T806

6寸液晶显示
6" Liquid crystal display (LCD)



STL-T807

7寸图片机
7" Picture type display



STL-T808

10寸图片机
10" Picture type display



STL-T809

10寸多媒体机
10" video type LCD display


乘客电梯厅门




Passenger elevator landing door




STL-TM01
喷塑标准型
Standard spraying plastics style



STL-TM04
镜面、蚀刻、钛金
Mirror, etched, titanium




STL-TM11
镜面、蚀刻
Mirror, etched




STL-TM12
镜面、蚀刻
Mirror, etched




STL-TM06
镜面、蚀刻、发纹
Mirror, etched, hairline




STL-TM07
镜面、蚀刻、钛金
Mirror, etched, titanium




STL-TM09
镜面、蚀刻、钛金、发纹、和纹
Mirror, etched, titanium, hairline, irregular grain



STL-TM13
镜面、蚀刻、发纹
Mirror, etched, hairline



STL-TM14
镜面、蚀刻
Mirror, etched



STL-TM14
镜面、蚀刻
Mirror, etched

吊顶系列

Ceiling series




STL-JD05 (选配 Optional)



STL-JD08 (选配 Optional)



STL-JD09 (选配 Optional)



STL-JD10 (选配 Optional)



STL-JD11 (选配 Optional)



STL-JD12 (选配 Optional)



STL-JD13 (选配 Optional)



STL-JD14 (选配 Optional)

扶手系列

Handrail series



STL-FS01
不锈钢扁扶手
Stainless steel flat handrail



STL-FS05
不锈钢圆扶手
Stainless steel round handrail



STL-FS06
不锈钢圆扶手
Stainless steel round handrail



STL-FS07
不锈钢圆扶手
Stainless steel round handrail

地板 Floor



STL-DB01



STL-DB02



STL-DB03



STL-DB04

层门色标 Landing door color



火山灰 RAL7035
(标配 Standard)



米黄色 RAL7036
(选配 Optional)



苹果绿 RAL7037
(选配 Optional)

加装电梯

Elevator re-installation



两种入户方式

Two types of household entry

多种方案，随心搭配。两种入户方式，平层入户与错半层入户。

A variety of options, accompany with the heart. Two types of household entry, the flat layer and the wrong half of the household.



平层入户
Flat layer



错半层入户
The wrong half of the house

五大解决方案


Five solution plans

双跨耳走廊式

Double-ear corridor

钢结构电梯连接建筑物外部的走廊，从走廊左右两端均可进入建筑物内，可减少建筑物内部占用空间。

Steel structure elevator connects with corridor outside the building. It can enter into the building from left / right corridor. It thus reduces internal building space.




直走廊式

Straight corridor

钢结构电梯连接建筑物外部的走廊，可减少建筑物内部空间占用。

Steel structure elevator connects with corridor outside the building. It reduces internal building space.




无平台直连式（单门）

Non platform direct connection (single door)

原建筑物内部有可利用空间，用户可直接首层进入钢结构电梯，无需平台连接，单门进入。

Original internal building has usable space. User can directly enter into steel structure elevator through initial floor. It needs no platform connection with single-door entry.




无平台直连式（贯通门）

Non platform direct connection (cut-through door)

原建筑物内部有可利用空间，无需平台连接，用户可直接首层进入钢结构电梯，并采用贯通门，电梯两侧用户均可使用。

Original internal building has usable space. It needs no platform connection. User can directly enter into steel structure elevator through initial floor. It applies opposite door. User can use both sides of the elevator.




侧平台式

Side platform

钢结构电梯连接建筑物侧面的平台，用户到达平台后即可直接进入建筑物内，可减少建筑物内部占用空间。

Steel structure elevator connects with platform on the side of the building. After user arrives at the platform, he / she can directly enter into the building. It thus reduces internal building space.





智能物联网

Intelligent Internet of things

智能物联网

智能物联网是基于物联网技术、云计算技术、大数据技术研发的电梯远程安全监控平台，通过在电梯上安装独立的传感装置，采集、上传电梯运行信息，实现全天候的、集中化的远程实时监控、制自动故障报警、语音视频安抚、电梯大数据分析、维保日常管理等功能。

Intelligent Internet of things



Intelligent Internet of things is based on Internet of things technology, cloud computing, big data technology research and development of elevator remote security monitoring platform, through independent sensing device installed in the elevator, elevator running collection, upload information, all-weather, centralized remote real-time monitoring, automatic fault alarm, voice video calm, elevator big data statistical analysis and daily management, maintenance, and other functions.

物联网技术为服务加速度

上海台菱电梯运用最先进的物联网技术，通过特质的感应器，采集电梯相关运行数据，通过微处理器进行非常态数据分析，可随时掌控每一台电梯的动态信息，实时更新每台电梯的信息库，实现电梯故障报警、困人救援、日常管理、质量评估、隐患防范、多媒体传输等功能的综合性电梯管理平台。

Web of Things technology accelerates fine services

Shanghai TOPLANE utilizes the most advanced Internet of Things technology. It collects related elevator running data through specially-made inducer. It carries out abnormal data analysis through micro-processor. It grasps dynamic information of each elevator at all times. It makes real-time renewal to information base. It fulfills comprehensive elevator management platform with elevator trouble alarm, rescue to passenger-trap, daily management, quality appraisal, prevention to any hidden danger, multi-media transmission functions etc.





销售网络



Marketing network

国内网络

经过多年发展，上海台菱电梯建立了完善的营销服务网络，在全国各省市自治区建立了数十家直属分公司、服务中心和备件中心，为不同的客户带来顶级水准的服务。

Domestic marketing network

After years of development, Shanghai TOPLANE Elevator establishes the perfect sale service networks. It sets up dozens of directly affiliated branch companies, service centers, parts centers in various domestic provinces and autonomous regions. It provides different customers with top-class services.



国际网络

上海台菱电梯组建了遍布全球的集销售、服务于一体的强大营销网络，能及时、全面地为全球市场和用户提供最优质的产品 and 最满意的售后。不断将自主创新成果推向市场前沿，赢得了海外市场的青睐和信赖，相继把台菱电梯推向印度、越南、土耳其、南非等国家和地区，我们致力于将台菱打造成国际一流品牌。

International marketing network

Shanghai TOPLANE Elevator establishes a powerful sales network all over the world that integrates sales, service into one. It can promptly and comprehensively provide global markets and users with the most superior products and the most satisfactory after-sale. We continuously put out individual innovation fruits to the market frontline. The products find great favor in overseas markets and win their deep trust also. It successively exports TOPLANE elevators to India, Vietnam, Turkey, South Africa etc. We are engaged in bringing about a world's first-class TOPLANE elevator brand.



经典工程



Classic cases

融合了先进的技术和前沿的设计，始终以安全理念贯穿产品的研发、设计、制造与检测，以优异的品质、严格的管理、完善的服务赢得了业界越来越多的掌声与信赖，成为众多客户理想的合作伙伴，是高端商务类、住宅类建筑的最佳运载选择。

It combines with advanced technology and frontline design. It always penetrates safety ideas into the product research, development, design, manufacture and testing. It wins more and more applauses and trust from business circles by the excellent quality, strict management, perfect services. It becomes the most ideal partners to vast clients. It is the best transport choice for high-grade commercial and residential buildings.



四川成都紫金乐章
Sichuan Chengdu Violet-Gold Musical-Movement Residential Quarter



安静大厦
Anjing Building



A10-4地块征收安置房项目
A10-4 Land Resettlement Building Project



民乐L06-02居住区
Minle L06-02 Living Area



香山水岸
Scented Mt. Water-Bank Residential Quarter



襄洲一号
Xiangzhou No. 1



天羽揽月轩
Tianyu Moon Pavilion



襄樊佳信房产世纪阳光城33层
Xiangfan Jiaxin Real Estate Century Sunshine City 33F

经典工程

Classic cases

融合了先进的技术和前沿的设计，始终以安全理念贯穿产品的研发、设计、制造与检测，以优异的品质、严格的管理、完善的服务赢得了业界越来越多的掌声与信赖，成为众多客户理想的合作伙伴，是高端商务类、住宅类建筑的最佳运载选择。

It combines with advanced technology and frontline design. It always penetrates safety ideas into the product research, development, design, manufacture and testing. It wins more and more applauses and trust from business circles by the excellent quality, strict management, perfect services. It becomes the most ideal partners to vast clients. It is the best transport choice for high-grade commercial and residential buildings.



四川名山公安局
Sichuan Mingshan Public Security Bureau



黄村井井下电梯
Huang Cun Jing Under-Well Elevator



香槟城
Champagne City Residential Quarter



名山广电局
Mingshan Radio & Television Bureau



周康航大基地
Zhou Kang Hang Base



上海浦东民乐经济适用房
Shanghai Pudong Minle Economically Affordable Housing



雅安和平小区
Ya'an Peace Residence



永州银海花园
Yongzhou Silver-Sea Garden Residential Quarter



香居山水二期
Second Phase of Scented Living Waters & Mountains Residential Quarter

完美功能

Perfect function

标准功能 Standard Function

 运行功能 Travel function	电梯变频驱动 VVVF drive	精确调整电动机转速，令电梯启动、运行、停止时的速度曲线平稳、圆滑，获得良好的舒适感。 Motor rotating speed can be precisely adjusted to get smooth speed curve in lift start, travel and stop and gain the sound comfort.
	门机变频驱动 VVVF door operator	精确调整电动机转速，使门机的开启、关闭更轻柔灵敏。 Motor rotating speed can be precisely adjusted to get the more gentle and sensitive door machine start / stop.
	独立运行 Independent running	通过动作开关，使电梯不响应外召，仅响应轿厢内指令。 The lift can not respond to outer calling, but only respond to the command inside the car through the action switch.
	自动不停站通过 Automatic pass without stop	当轿内挤满乘客或负载接近预设定值，为保持最大运行效率，该轿厢将自动越过召唤层站。 When the car is crowded with the passengers or the load is close to preset value, the car will automatically pass the calling landing in order to keep maximum travel efficiency.
	开门时间自动调整 Automatically adjust door opening time	按照层站召唤或轿厢召唤的区别，自动调整保持开门时间。 Door-open time can be automatically adjusted according to the difference between landing calling or car calling.
	本层重开门 Reopen with hall call	关门途中，可以按本层站召唤按钮使门重新开启。 In the door shutting process, press reopen with hall call button can restart the door.
	即时关门 Express door closing	电梯停站开门到位时，按下关门按钮，门立即被关闭。 When the lift stops and opens the door, press door-shut button, the door will be closed immediately.
	停梯开门 Car stops and door open	电梯减速平层，直到完全停稳后才开门。 The lift decelerates and levels, the door only opens after the lift comes to a complete stop.
	指令登记删除 Command register cancel	如按错了轿内楼层指令按钮，只要把同一按钮连续按两次，就可取消已登记指令。 If you press the wrong floor command button in the car, twice continuous pressing of same button can cancel the registered command.
	 安全功能 Safety function	光幕保护 Photocell protection
指定停靠 Designated stop		由于某种原因，电梯在目的层无法开门，电梯将关门运行至下一指定层楼。 If the lift can not open the door in the destination floor out of some reason, the lift will close the door and travel to the next designated floor.
超载停梯 Overload holding stop		轿厢超载时，鸣响蜂鸣器并停止于该层站。 When the car is overload, the buzzer rings and stops the lift in the same floor.
防止失速内部计数器保护 Anti-stall timer protection		由于曳引钢丝绳打滑而无法正常运行时，电梯停止运行。 The lift stops operation due to slippery traction wire rope.
启动保护控制 Start protection control		电梯启动后在指定的时间内，没有离开门区，电梯停止运行。 If the lift does not leave door zone within the designated time after it gets started, it will stop the operation.
检修操作 Inspection operation		当进入检修状态时，轿厢以低速点动运行。 When the lift enters into inspection operation, the car travels at inching running.
故障自诊断 Fault self-diagnosis		控制器可记录最新的62个故障，以便快速排除故障，迅速恢复电梯运行。 The controller can record 62 latest troubles so as to quickly remove the trouble and restore the lift operation.
电梯门重复开关 Repeated door closing		有时因阻碍或干扰，电梯门未能关闭，电梯门会重复打开或关闭，直到杂物被清除。 If the lift can not close the door due to certain obstacle or interference, the lift will reopen or re-shut the door until sundries are eliminated.
上下越层及上下极限保护装置 Up/down over-run and final limit protection		该装置可有效地防止当电梯万一发生失控时的冲顶或撞底现象，使电梯更安全可靠。 The device can effectively prevent from the lift's surging to the top or knocking the bottom when it is out of the control. It results in the more safe and reliable lift travel.
下行超速保护装置 Down over-speed protection device		当电梯下降运行的速度超过额定速度的1.2倍时，该装置自动切断控制电源，使电机停止运转以阻止电梯超速下行；如电梯继续超速下行，其速度超过额定速度的1.4倍时，安全钳动作，强制电梯停止运行，保证安全。 When the lift downs 1.2 times higher than the rated speed, this device will automatically cut off control mains, stop the motor running so as to stop lift down at over-speed. If the lift continues to down at over-speed, and the speed is 1.4 times higher than rated speed, safety lugs act to force the lift stop in order to ensure the safety.
上行超速保护装置 Upward over-speed protection device	当电梯上行的速度超过额定速度的1.2倍时，该装置自动将电梯减速或制停。 When the lift ups 1.2 times higher than rated speed, the device will automatically decelerate or brake the lift.	
电梯轿厢意外移动保护 (UCMP) Elevator car accidental movement protection (UCMP)	当电梯处于平层位置且门打开时，如果电梯出现意外移动，UCMP安全装置马上启动保护，停止电梯运行，防止乘客被轿厢夹伤。 When elevator is in leveling position and door opens, if elevator moves accidentally, UCMP safety device immediately starts protection. It stops elevator in order to prevent car from clamping / hurting passenger.	
 人机界面 Man-machine interface	轿内及层站微动指令按钮 Micro-touch button for car call and hall call	轿内操纵箱指令按钮及层站召唤按钮采用新型微动型按钮。 Novel micro-touch button is used for operation panel command button in the car and landing calling button.
	轿内层楼、方向指示 Floor and direction indicator inside car	轿内显示电梯所在层楼及当前运行方向。 The car shows the lift floor location and current travel direction.
	层站层楼、方向指示 Floor and direction indicator	层站显示电梯所在层楼及当前运行方向。 The landing shows the lift floor location and current travel direction.


 应急功能 Emergency function	应急照明 Emergency car lighting	停电时，自动打开轿厢内应急照明。 Emergency car lighting automatically activated once power failure.
	点动运行 Inching running	当进入紧急电动状态时，轿厢以低速点动运行。 When the lift enters into emergency electric operation, the car travels at low speed inching running.
	五方通话装置 Five way intercom	通过对讲机，可让轿内、轿顶、电梯机房、井道底坑、救援值班室之间通话。 Communication amid car, car top, lift machine room, well pit and rescue duty room through walkie-talkie.
	警铃 Bell	紧急时，连续按下轿内操纵箱上的警铃按钮，安装于轿厢顶上的电铃会鸣响。 In emergency conditions, if bell button above car operation panel is continuously pressed, electric bell rings on top of the car.
	消防返回 Fire emergency return	启动基站或监控屏上的钥匙开关，所有召唤均被取消，电梯立即驶往指定救援层站停靠，并自动开门。 If you start key switch in main landing or monitor screen, all the callings will be cancelled. The lift directly and immediately drives to the designated rescue landing and automatically opens the door.
 节能功能 Energy-saving function	轿厢风扇/照明自动开关 Car ventilation, light automatic shut off	在规定的时间内没有召唤或指令信号，轿厢内的风扇和照明会自动关闭，以节能。 If there is no calling or command signal within the stipulated time, the car fan and lighting will be automatically closed in order to save the energy.
	远程关闭 Remote shut-off	通过钥匙开关，电梯可以被召回到基站（服务完成后），并自动退出服务。 The lift can be called to main landing (after finishing the service) through the key switch and automatically exists the service.

选配功能 Optional Function

 应急功能 Emergency function	停电应急平层 Leveling when power failure	正常电源断电时，充电式电池提供电梯电源，电梯驶往最近层站。 In normal power failure, the chargeable battery supplies the lift power. The lift drives to the nearest landing.
	防捣乱 Anti- nuisance	当电梯轻载时出现超过三个指令时，为避免不必要停靠，轿厢内已登记的召唤将全部自动消除。 In the light lift load, when three more commands appear, in order to avoid the unnecessary parking, all the registered callings in the car will be cancelled.
 运行功能 Travel function	提前开门 Open the door in advance	电梯减速进入开门区域，自动开门，提高运行效率。 When the lift decelerates and enters into door open zone, it automatically opens the door to enhance the travel efficiency.
	直接停靠 Direct parking	完全根据距离原则，平层无爬行，大大提高了运行效率。 It completely accords with distance principle with no crawling in the leveling. It greatly enhances the travel efficiency.
	群控功能 Group control function	用于三台或三台以上同型号电梯成组控制时使用，使群控能自己选择最合适的应答，避免电梯重复停梯，缩短乘客候梯时间，提高运行效率。 When three or more same model lift groups are controlled in use, the lift group can automatically choose the most appropriate response. It avoids the repeated lift parking, reduces the passengers' waiting time and increases the travel efficiency.
 人机界面 Man-machine interface	并联功能 Duplex control	用于两台同型号电梯，通过电脑的调度来统一响应召唤信号，以最大限度地减小乘客的候梯时间，以提高运行效率。 Two sets of same model lifts can unanimously respond the calling signal through the computer dispatch. In this way, it reduces the passengers' waiting time to the greatest extent and enhances the travel efficiency as well.
	上班高峰服务 On-duty peak service	在预定上班时间内，基站向上的运输特别繁忙时，向基站不断派梯以满足上班时高峰需要。 Within the preset on-duty time, upward transport from the home landing is extremely busy. The lifts are continuously dispatched to the home landing in order to satisfy on-duty peak service.
	下班高峰服务 Off-duty peak service	在预定下班时间内，向顶层派梯满足下班时高峰需要。 Within the preset off-duty period, the lifts are continuously dispatched to top floor in order to satisfy off-duty peak service.
	开门时间延长 Door open time extending	按轿厢内的专用按钮，可使门在一段时间内保持开门状态。 Press special button in the car, the lift door keeps open for certain period of time.
	轿厢到站钟 Car arrival gong	装于轿顶的电子钟的钟声告知候梯的乘客电梯已到达。 Arrival tong in the car top announces that the passengers arrive.
	语音报站 Voice announcer	在正常运行到站的情况下，利用语音装置告知乘客有关信息。 When the lift normally arrives, voice announcer informs the passengers about the relevant information.
	轿厢副操纵箱 Car assistant operation box	用于大载重量电梯或候梯人群稠密大楼中的电梯，以便让轿厢内更多的乘客方便使用。 It is used in the large loading weight lifts or the lifts with crowded passengers so that more and more passengers can use the car.
	残疾人操纵箱 Operation box for the handicapped	便于让轿厢内坐轮椅的乘客及视觉障碍的乘客方便使用。 It is convenient for the wheelchair passengers and those who have vision problems.
	智能召唤服务 Intelligent calling service	通过专用的智能输入设备，可使轿厢指令或厅外召唤锁定或接通。 The car command or hoist-way calling can be locked or connected through special intelligent input.
	IC卡控制功能 IC card control function	所有（部分）层站须经授权，方可通过IC卡输入轿厢指令运行电梯。 All (partial) landings can only input car commands through IC Card after the authorization.
 监控功能 Monitor function	远程监控 Remote monitor	通过调制解调器和电话，可实现电梯的远程监视和控制，便于厂家和服务单位及时的了解每台电梯的运行状况，以便及时作出相应措施。 The lift long-distance monitor and control can be fulfilled through modem and telephone. It is convenient for the factories and service units to timely know the travel conditions of every lift and promptly take the corresponding measures.
	远程控制 Remote control	通过操作监控屏（可选择），可使电梯按指定的需要作独立运行。 The lift can have independent travel according to the specific requirements through operation monitor screen (optional).
	轿内摄像功能 Camera function in the car	摄像头装于轿厢内监视轿厢内情况。 The camera is installed in the car to monitor the car conditions.


小机房乘客电梯土建参数

Small machine room passenger elevator construction parameters




无机房乘客电梯土建参数

Machine roomless passenger elevator construction parameters




担架电梯土建参数

Stretcher elevator construction parameters




小机房观光电梯土建参数

Small machine room observation elevator construction layout drawing




无机房观光电梯土建参数

Machine roomless observation elevator construction layout drawing






小机房方形观光电梯土建参数

Small machine room square-shaped observation elevator construction layout drawing





医用电梯土建参数

Hospital elevator construction layout drawing




载货电梯土建参数

Freight elevator construction layout drawing



无机房方形观光电梯土建参数

Machine roomless square-shaped observation elevator construction layout drawing



TKJ小机房客梯井道详细参数表

Detailed parameter table of TKJ small computer room passenger elevator well

载重 (kg)	速度 (m/s)	标准开门尺寸 (mm)	门洞预留尺寸 (mm)	标准井道尺寸 (宽*深) (mm)	标准轿厢尺寸 (宽*深*高) (mm)	顶层高度 (mm)	底坑深度 (mm)
450	1.0	800*2100	1000*2200	1800*1750	1100*1100*2400	4300	1500
	1.5/1.6	800*2100	1000*2200	1800*1750	1100*1100*2400	4500	1600
630	1.0	800*2100	1000*2200	2000*1750	1400*1100*2400	4300	1500
	1.5/1.6	800*2100	1000*2200	2000*1750	1400*1100*2400	4500	1600
800	1.0	800*2100	1000*2200	2000*2000	1400*1350*2400	4300	1500
	1.5/1.6	800*2100	1000*2200	2000*2000	1400*1350*2400	4500	1600
	1.75	800*2100	1000*2200	2000*2000	1400*1350*2400	4500	1600
	2.0	800*2100	1000*2200	2000*2000	1400*1350*2400	4800	1900
1000	1.0	900*2100	1100*2200	2200*2150	1600*1500*2400	4300	1500
	1.5/1.6	900*2100	1100*2200	2200*2150	1600*1500*2400	4500	1600
	1.75	900*2100	1100*2200	2200*2150	1600*1500*2400	4500	1600
	2.0	900*2100	1100*2200	2200*2150	1600*1500*2400	4800	1900
1150	1.0	900*2100	1100*2200	2300*2200	1700*1500*2400	4300	1500
	1.5/1.6	900*2100	1100*2200	2300*2200	1700*1500*2400	4500	1600
	1.75	900*2100	1100*2200	2300*2200	1700*1500*2400	4500	1600
	2.0	900*2100	1100*2200	2400*2200	1700*1500*2400	4800	1900
1350	1.0	1000*2100	1200*2200	2600*2250	2000*1500*2400	4300	1500
	1.5/1.6	1000*2100	1200*2200	2600*2250	2000*1500*2400	4500	1600
	1.75	1000*2100	1200*2200	2600*2250	2000*1500*2400	4500	1600
	2.0	1000*2100	1200*2200	2600*2250	2000*1500*2400	4800	1900
1600	1.0	1100*2100	1300*2200	2600*2500	2000*1750*2400	4300	1500
	1.5/1.6	1100*2100	1300*2200	2600*2500	2000*1750*2400	4500	1600
	1.75	1100*2100	1300*2200	2600*2500	2000*1750*2400	4500	1600
	2.0	1100*2100	1300*2200	2600*2500	2000*1750*2400	4800	1900
	2.5	1100*2100	1300*2200	2600*2500	2000*1750*2400	5000	2100

TPS-II小机房客梯井道详细参数表

Detailed parameter table of TKJ small computer room passenger elevator well

载重 (kg)	速度 (m/s)	标准开门尺寸 (mm)	门口留也尺寸 (mm)	标准井道尺寸 (宽*深) (mm)	标准轿厢尺寸 (宽*深*高) (mm)	顶层高度 (mm)	底坑深度 (mm)
1000	3.0	900*2100	1100*2200	2200*2150	1600*1500*2400	5600	3000
	4.0	900*2100	1100*2200	2200*2150	1600*1500*2400	6600	4200
1150	3.0	900*2100	1100*2200	2300*2200	1700*1500*2400	5600	3000
	4.0	900*2100	1100*2200	2300*2200	1700*1500*2400	6600	4200
1350	3.0	1000*2100	1200*2200	2600*2250	2000*1500*2400	5600	3000
	4.0	1000*2100	1200*2200	2600*2250	2000*1500*2400	6600	4200
1600	3.0	1100*2100	1300*2200	2600*2500	2000*1750*2400	5600	3000
	4.0	1100*2100	1300*2200	2600*2500	2000*1750*2400	6600	4200

TPW-I无机房井道详细参数表

Detailed parameter table of TKJ small computer room passenger elevator well

载重 (kg)	速度 (m/s)	标准开门尺寸 (mm)	门口留也尺寸 (mm)	标准井道尺寸 (宽*深) (mm)	标准轿厢尺寸 (宽*深*高) (mm)	顶层高度 (mm)	底坑深度 (mm)
450	1.0	800*2100	1000*2200	1850*1800	1000*1300*2400	4000	1500
	1.5/1.6	800*2100	1000*2200	1850*1800	1000*1300*2400	4200	1600
630	1.0	800*2100	1000*2200	1950*1950	1100*1400*2400	4000	1500
	1.5/1.6	800*2100	1000*2200	1950*1950	1100*1400*2400	4200	1600
	1.75	800*2100	1000*2200	1950*1950	1100*1400*2400	4250	1600
800	1.0	800*2100	1000*2200	2150*1950	1400*1400*2400	4000	1500
	1.5/1.6	800*2100	1000*2200	2150*1950	1400*1400*2400	4200	1600
	1.75	800*2100	1000*2200	2150*1950	1400*1400*2400	4250	1600
1000	1.0	900*2100	1100*2200	2250*2000	1500*1500*2400	4000	1500
	1.5/1.6	900*2100	1100*2200	2250*2000	1500*1500*2400	4200	1600
	1.75	900*2100	1100*2200	2250*2000	1500*1500*2400	4250	1600
1150	1.0	900*2100	1100*2200	2300*2100	1500*1700*2400	4500	1500
	1.5/1.6	900*2100	1100*2200	2300*2100	1500*1700*2400	4600	1600
	1.75	900*2100	1100*2200	2300*2100	1500*1700*2400	4700	1600
1350	1.0	1000*2100	1200*2200	2500*2200	1700*1800*2400	4700	1500
	1.5/1.6	1000*2100	1200*2200	2500*2200	1700*1800*2400	4800	1600
	1.75	1000*2100	1200*2200	2500*2200	1700*1800*2400	4850	1600
1600	1.0	1000*2100	1200*2200	2600*2500	1700*2000*2400	4700	1500
	1.5/1.6	1000*2100	1200*2200	2600*2500	1700*2000*2400	4800	1600
	1.75	1000*2100	1200*2200	2600*2500	1700*2000*2400	4850	1600

TBS-2000小机房病床电梯井道详细参数表

Detailed parameter table of TKJ small computer room passenger elevator well

载重 (kg)	速度 (m/s)	标准开门尺寸 (mm)	门口留也尺寸 (mm)	标准井道尺寸 (宽*深) (mm)	标准轿厢尺寸 (宽*深*高) (mm)	顶层高度 (mm)	底坑深度 (mm)
1600	1.0	1100*2100	1300*2200	2600*2900	1400*2400*2400	4300	1500
	1.5/1.6	1100*2100	1300*2200	2600*2900	1400*2400*2400	4500	1600
	1.75	1100*2100	1300*2200	2600*2900	1400*2400*2400	4500	1600

TGS-2000货梯井道详细参数表

Detailed parameter table of TKJ small computer room passenger elevator well

载重 (kg)	速度 (m/s)	开门方式	标准开门尺寸 (mm)	门口留也尺寸 (mm)	标准井道尺寸 (宽*深) (mm)	标准轿厢尺寸 (宽*深*高) (mm)	顶层高度 (mm)	底坑深度 (mm)	机房尺寸 (宽*深*高) (mm)
1000	0.5	旁开	1200*2100	1400*2200	2350*2300	1300*1650*2300	4500	1600	3100*3200*3000
2000	0.5	旁开	1600*2100	1800*2200	3000*2600	2000*1950*2300	4500	1600	3800*3700*3000
3000	0.5	旁开	1600*2100	1800*2200	3100*3400	2000*2750*2300	4500	1600	3900*4100*3000
5000	0.25	中分双折	2300*2100	2500*2200	4200*3700	2800*3050*2300	4600	1700	5000*4300*3000
	0.5	中分双折	2300*2100	2500*2200	4200*3700	2800*3050*2300	4600	1700	5000*4300*3000

贯通门货梯详细参数表

Detailed parameter table of TKJ small computer room passenger elevator well

载重 (kg)	速度 (m/s)	开门方式	标准开门尺寸 (mm)	门口留也尺寸 (mm)	标准井道尺寸 (宽*深) (mm)	标准轿厢尺寸 (宽*深*高) (mm)	顶层高度 (mm)	底坑深度 (mm)	机房尺寸 (宽*深*高) (mm)
1000	0.5	旁开	1200*2100	1400*2200	2350*2300	1300*1650*2300	4500	1600	3100*3200*3000
2000	0.5	旁开	1600*2100	1800*2200	3000*2600	2000*1950*2300	4500	1600	3800*3700*3000
3000	0.5	旁开	1600*2100	1800*2200	3100*3400	2000*2750*2300	4500	1600	3900*4100*3000
5000	0.25	中分双折	2300*2100	2500*2200	4200*3700	2800*3050*2300	4600	1700	5000*4300*3000
	0.5	中分双折	2300*2100	2500*2200	4200*3700	2800*3050*2300	4600	1700	5000*4300*3000