

上海台菱电梯有限公司
SHANGHAI TOPLANE ELEVATOR CO., LTD.

地址：上海临港新城书院都市产业园丽正路1659号

电话：+86-21-58198866 传真：+86-21-58194366

网址：www.tailngsh.com 邮箱：Info@tailngsh.com

邮编：201304

Add: NO.1659, Lizheng Road, Shuyuan Metropolis Industrial Park, Lin-gang New Town, Shanghai, China

Tel: +86-21-58198866 Fax: +86-21-58194366

[Http://www.tailngsh.com](http://www.tailngsh.com) E-mail: info@tailngsh.com

P.C: 201304

上海台菱电梯有限公司营销中心

SHANGHAI TOPLANE ELEVATOR CO., LTD.
MARKETING CENTER

地址：上海市嘉定区马陆嘉新公路835弄100号3幢2F

电话：021-33879729/56489759

传真：021-56485760

邮编：201801

Add: 2F, building 3, no. 100, lane 835, malujixin road, jiading district, Shanghai

Tel: 021-33879729/56489759

Fax: 021-56485760

P.C: 201801



TOPLANE

VILLA ELEVATOR
台菱道尔别墅电梯系列



全国免费服务热线 / 400-820-7385

本书为一般信息类出版物，我们保留随时更改产品设计和说明的权利。
本书的任何字句，无论其字面意思或含义，对于任何产品及产品的用途和质量，或者任何购销合同条款的表述与更改均不承担任何责任。

由于印刷工艺的限制，实际加工的颜色可能与本册略有不同之处，最终造型可根据实际材料和色样决定。

It is an ordinary information publication. We keep the right of alter the product design and description at any time.
If there is any dispute out of the literal meaning of any product description, use or quality; the description and alteration of any sales contract, our company will not bear any responsibilities there from.
Because of the restriction of the printing technology if there is any slight difference between the actually machining color and that from this pamphlet, please take the actual material and color sample as the criterion.

2019年03月份印刷

安全空间 · 美好生活
Safe space Glorious life stuff



Multi-guideway stable car structure

多导轨稳定轿厢结构



为加强轿厢稳定运行，减少轿厢在不同偏载情况下的运行导致门机的运行故障，并能够保证电梯在运行过程中与各部件的间隙保持不变，确保电梯正常、舒适、安全、稳定工作。

In order to strengthen the stable operation of the car, reduce the operation failure of the door crane caused by the operation of the car under different eccentric loads, and ensure that the clearance between the elevator and its components remains unchanged in the operation process, to ensure the normal, comfortable, safe and stable operation of the elevator.



智能控制
Intellectual control



灵活运用
Flexible application



平缓舒适
Smooth and comfortable

Environmental protection configuration of green space

环保配置 绿色空间

LED绿色照明,不含汞、铅等对环境污染很大的重金属,发光时会产生紫外线,因此LED照明不会象传统的灯具那样有很多蚊虫围绕在光源旁使环境变得更加干净卫整洁;金属壳恒流驱动的创新设计使产品电能转换成光效率非常高。

LED green lighting, which does not contain mercury, lead and other heavy metals polluting the environment, will produce ultraviolet light when it emits light, so LED lighting will not be surrounded by many mosquitoes like traditional lamps to make the environment cleaner and tidier. The innovative design of metal shell constant current drive makes the product energy conversion to light efficiency very high.



Noise reducing

降噪减音

标准配置的曳引机采用静音式大制动力矩的盘式制动器。在电梯的启动和制动时,噪音≤45分贝。

The standard tractor adopts a disc brake with silent and large braking moment. When the elevator starts and brakes, the noise is less than 45 decibels.



无接触器控制柜

Contactless control cabinet

- 去除变频器
Removal of Inverter
- 去除传统电气部件
Removal of traditional electrical components
- 集成物联网功能
Integrated internet of things function
- 集成ARD功能
Integrating ARD functions
- 去除接触器
Removal contactor
- 集成电动松闸功能
Integrated electric loosening function

Five centimeters more than others 比别人多五公分

相同尺寸的井道对轿厢要求更小，节约更多空间，提高设计自由度，节约建筑成本，为现代建筑有限空间提供了无限创造可能(小井道专家)。

The car of the same size requires less well path, saves more space, improves design freedom and saves construction cost, which provides infinite possibilities for limited space of modern architecture (well path experts).

土建布局图设计基本规则

Basic rules for design of civil layout

代号	产品特征	最小井道宽度（净宽）	最小井道深度（净深）	最小顶层	最小底坑	最小层间距
DEH100	强驱电梯	轿厢内宽+300	轿厢内深+300 (中分自动门) 轿厢内深+200 (手拉门)	3250	300	2450
DEH200	6导轨对重侧置钢丝绳曳引电梯	轿厢内宽+450	轿厢内深+300 (中分自动门) 轿厢内深+200 (手拉门)	2800	300	2450
DEH300	6导轨对重侧置钢带曳引电梯	轿厢内宽+450	轿厢内深+300 (中分自动门) 轿厢内深+200 (手拉门)	2800	300	2450
DEH400	4导轨对重侧置钢丝绳曳引电梯	轿厢内宽+550	轿厢内深+300 (中分自动门) 轿厢内深+200 (手拉门)	2800	350	2450
DEH500	4导轨对重侧置钢丝绳曳引电梯	轿厢内宽+300	轿厢内深+550 (中分自动门) 轿厢内深+400 (手拉门)	3000	300	2450

Unique splicing method 独特的拼接方式

轿厢采用创新型迷宫式拼接方法，轿壁紧密贴合在一起，因而从轿厢内看不到拼接角，并且不透光，使得整体轿厢美观大方。

The car adopts an innovative labyrinth splicing method. The car walls are closely joined together, so the splicing angle can not be seen from the car, and the light is not transparent, which makes the whole car beautiful and generous.



一键式电梯救援（管家式服务）

One-button elevator rescue (housekeeping service)

一键拨号系统预存 4 个电话号码，只要按一个按钮就能循环拨号直到最后接通为止，使得家里人能尽快回家解救。杜绝了遗忘号码，使用简便，是家中老人和小孩的好帮手。

The one-click dialing system stores four telephone numbers, which can be dialed circularly by pressing a button until the final connection, so that the family can go home and rescue as soon as possible. It is a good helper for the elderly and children in the family.

Emergency rescue of power failure

停电应急救援

为了保障您的使用安全性与可靠性，我们的产品都配备了UPS不间断电源的装置，当用户家中出现公共电网断电时，电梯能够瞬间自动检测所在位置，如果处于非平层位置，会自动就近平层，并自动开门停机，保证用户的使用安全。

In order to ensure your safety and reliability, our products are equipped with UPS uninterrupted power supply device. When the public power grid breaks down in the user's home, the elevator can automatically detect the location. If it is in the non-flat position, it will automatically approach the flat floor, and automatically open the door and shut down to ensure users' safety of use.

负氧离子风机

One-button elevator rescue (housekeeping service)

一般电梯轿厢的通风是利用横流风扇将井道内的空气吹进轿厢，而这个井道是长期封闭不见阳光的场所，是细菌最理想的温床，台菱别墅梯引进最新技术—电梯轿厢专用负离子风机，杀菌除尘、吸附甲醇、去除异味、消二手烟和过滤 PM2.5。

Generally, the ventilation of elevator car is to use cross-flow fan to blow air into the car, and this well is a long-term closed place without sunshine, and is the ideal hotbed for bacteria. Toplane villa ladder introduces the latest technology - special negative ion fan for elevator car, sterilizing and dedusting, adsorbing methanol, removing odor, eliminating secondhand smoke and filtering PM2.5.

Multi-drive form adapts well path

多驱动形式适应井道

根据不同井道环境与用户需求，电梯可选用不同的驱动方式，最大程度满足客户的不同需求。

According to different wellway environment and user needs, elevators can choose different driving modes to meet the different needs of customers to the greatest extent.



The smart future of digital butlers

数字管家 智能未来

电梯管家

The elevator housekeeper

电梯管家是一款用于电梯管理的APP，10分钟实现电梯维保信息化高效管理。明确工作计划，降低管理成本，提高管理水平；

Elevator housekeeper is an APP for elevator management, 10 minutes to achieve efficient elevator maintenance informationmanagement. Clear work plan, reduce management cost, improve management level;

特点

Advantages

- 极易上手的用户操作
Easy to use user operation
- 人性化的用户界面
User-friendly user interface
- 标准化的维保管理
Standardized maintenance management
- 丰富的产品功能
Rich product functions



属于您的私人定制

Your personal customization

根据房屋结构与装修风格，在最合适最安全的地点安装独属于您的私人别墅电梯。最大限度节约费用和空间，同时又满足您的需求，带给你匠心独运的全新感觉。

According to the structure and decoration style of the house, the most suitable and safe place to install your own private villa elevator. Maximum saving cost and space, and at the same time to meet your needs, bring you a new sense of ingenuity.

定期的检查保养

Regular inspection and maintenance

借助数据化系统，录入您的电梯信息。同时借助该系统，制定专属的保养计划，自定义保养间隔，保障您的电梯正常运行，延长使用寿命。

With the help of datamation system, input your elevator information. At the same time, with the help of the system, the development of exclusive maintenance plan, custom maintenance interval, to ensure the normal operation of your elevator, extend the service life.

突发状况的维修

Emergency maintenance

数据化系统与您保持时刻的联系，不仅可以获取保养信息，也可以向平台反应电梯的突发故障，联系维保人员上门维修，消除您的后顾之忧。

The datamatic system keeps in touch with you at all times, which can not only obtain the maintenance information, but also reflect the sudden failure of the elevator to the platform, contact the maintenance personnel for on-site maintenance, and eliminate your worries.

- 售前专家：真诚沟通 合理建议
Pre-sales experts:
sincere communication reasonable advice
- 售中行家：专业培训 完美运行
Experts in sales:
professional training perfect operation
- 售后管家：完善维保 竭诚永续
After - sales housekeeper:
improve the maintenance of dedication and sustainability



All-round care, accompany with you all the way

全方位关怀，与您一路相伴

让生活多一份安心
Let life more at ease

电梯安全综合保险

承保经政府有关部门同意安装、检验合格并投入运行的客用电梯、货用电梯、医用电梯、自动扶梯的电梯本身的损失以及电梯事故造成第三方人身伤亡和财产损失赔偿责任的保险。

Comprehensive elevator safety insurance

The insurance covers the loss of the elevator itself and the third party's personal injury and death and property loss caused by the elevator accident when the elevator, goods elevator, medical elevator and escalator are installed, inspected and put into operation with the consent of the relevant government departments.

电梯责任保险

指被保险人所拥有或管理的电梯在运行期间造成乘客的人身伤亡或财产损毁的经济赔偿责任。

Elevator liability insurance

Refers to the insured owned or managed during the operation of the elevator caused passenger casualties or property damage of the economic liability for compensation.



给生活最好的臂弯
Give life the best arms

电梯安全有识别——针对参保电梯，设置投保标识，让乘客能清楚识别电梯安全水平，乘坐电梯更放心。

日常维保有监督——保险企业作为电梯运行风险的监控方，结合新技术，运用信息化管理手段全程监控电梯维保质量，消除安全隐患。

技术服务有支持——借助保险的专业风险管理手段，从电梯的质量、安装、运营全流程设计风险预防方案，并在消防、公共安全等多重领域提供全方位的风险技术支持和安全知识普及。

发生事故有保障——通过保险的风险转嫁职能，以风险补偿的形式，完善电梯事故的事后救济机制，化解因事故引起的矛盾纠纷。

Elevator safety has identification -- for the insured elevator, set up insurance signs, so that passengers can clearly identify the level of elevator safety, take the elevator more at ease.

Daily maintenance and supervision -- as the supervision party of elevator operation risk, insurance enterprises, combined with new technology, use information management means to monitor the whole process of elevator maintenance quality and eliminate potential safety hazards.

Technical services are supported -- with the help of professional risk management means of insurance, we design risk prevention plans from the whole process of elevator quality, installation and operation, and provide all-round risk technical support and safety knowledge popularization in multiple fields such as fire control and public safety.

Guarantee for the occurrence of accidents -- through the risk transfer function of insurance, improve the after-event relief mechanism of elevator accidents in the form of risk compensation, and resolve the contradictions and disputes caused by accidents.



Traction type home elevator

曳引式家用电梯

无需传统机房：节省建筑成本
VVVF驱动技术：家用电梯专用微机板控制，平稳舒适
专用曳引机机架：固定于导轨，建筑物可不承重
采用普通家用220V单相电源，无需另外申请工业电源
自动专用门机：变频节能，安全可靠
UPS(后备电源)在停电时可以应急放人

It does not need machine room. It saves the building cost.
VVVF drive technology: Home elevator dedicated micro-computer control is smooth and comfortable.
Special traction machine base frame is fixed on guiderail. The building does not bear any load.
It applies ordinary home-use 220V single-phase power supply without additional application for industrial mains.
Automatic door operator: Variable frequency energy-saving, safe and reliable
UPS (backup) can release the passengers during power failure.




钢带型别墅电梯

Steel belt villa elevator

台菱别墅电梯采用更加节能、环保、耐用的复合钢带，配以高效节能型主机、变频门机、安全可靠的光幕门保护装置等多项国际领先技术，将垂直运输电梯发展带入了新的阶段。

Toplane villa elevator applies the more energy-saving, environment protection and durable composite wire cable. It matches with multiple leading international technologies such as effective energy-saving host, variable frequency door machine, safe and reliable light curtain door protection device etc. It brings vertical transport elevator development into a new stage.




强驱式别墅电梯

Strong drive type villa elevator

台菱强驱式别墅电梯采用先进的电梯强制式驱动和数字化控制变频调速技术，运行平稳。无需对重，无齿轮箱，体积小，安装简便，完全可以实现无机房，更节省成本和节约空间。

Toplane Villa Elevator adopts advanced elevator mandatory drive and digital control frequency conversion technology, running smoothly. No counterweight, no gear box, small size, easy to install, can completely realize the inorganic room, save cost and space.




Optimization well solution plan

优化井道解决方案



— Professional —


钢架型井道
Steel frame type well



高级喷涂金属框架
High grade painted metal frame



玻璃侧板
Glass side panel



高级喷涂钢板

Advanced spray panel



木纹侧板

Wood grain side panel




铝合金井架
Aluminum alloy well frame




高级喷涂金属框架
High grade painted metal frame




立柱
Column




板材折弯型
Bent sheets



铝合金型材（半圆弧形管立柱）
Aluminum alloy section material
(half-round arc tube vertical shaft)



铝合金型材（矩形管立柱）
Aluminum alloy section material
(rectangle tube vertical shaft)



Modern
Luxury light
现代轻奢

— 17 —

Car decoration 轿厢装潢

STL-V01

标 配 / Standard

吊 顶：镜面不锈钢，亚克力，LED灯
轿 壁：发纹不锈钢
扶 手：镜面不锈钢圆扶手
地 板：PVC

Ceiling: Mirror stainless steel, acrylic, LED lighting
Car wall: Hairline stainless steel
Handrail: Mirror stainless steel round handrail
Floor: PVC

— Modern —



— 18 —



STL-V02

选 配 / Optional

吊 顶 : 发纹不锈钢 , 亚克力透光板 , LED筒灯
轿 壁 : 发纹不锈钢 , 观光玻璃
扶 手 : 不锈钢管
地 板 : 大理石

Ceiling:Hairline stainless steel, acrylic transparent board, LED down lamp
Car wall:Hairline stainless steel, observation glass
Handrail:Stainless steel tube
Floor:Marble




STL-V04

选 配 / Optional

吊 顶 : 钛金镜面蚀刻 , 吸顶灯 (客户自理) , LED
轿 壁 : 大理石纹铝塑板 , 钛金镜面蚀刻 ,
镜面不锈钢 , PVC边线装饰
扶 手 : 无
地 板 : PVC

Ceiling:Mirror stainless steel, acrylic light decoration
Car wall:Hairline stainless steel, combination of stainless steel mirror and stainless steel hairline
Handrail: None
Floor:PVC



STL-V03

选 配 / Optional

吊 顶 : 镜面不锈钢 , 亚克力灯饰 , LED
轿 壁 : 黑钛镜面不锈钢 , 大理石纹钢板 , 镜面
不锈钢边线 , 镜面不锈钢踢脚线
扶 手 : 无
地 板 : PVC

Ceiling: Stainless steel frame with lighting, acrylic plate
Car wall: Mirror etched stainless steel, hairline stainless steel
Handrail: Sainless steel round handrail
Floor: PVC

STL-V05

选 配 / Optional

吊 顶 : 镜面不锈钢 , 亚克力灯饰 , LED
轿 壁 : 镜面不锈钢蚀刻 , 木纹钢板
扶 手 : 亚克力仿玉圆管
地 板 : PVC

Ceiling:Mirror stainless steel , acrylic light decoration,LED down lamp
Car wall:Hairline stainless steel, mirror etched stainless steel
Handrail: None
Floor:Marble





STL-V06

选 配 / Optional

吊 顶：镜面不锈钢，LED筒灯
轿 壁：镜面不锈钢，木纹钢板，大理石纹钢板
扶 手：无
地 板：PVC

Ceiling: Hairline stainless steel, acrylic transparent board, LED down lamp
Car wall: Hairline stainless steel, observation glass
Handrail: Stainless steel tube
Floor: Marble




STL-V08

选 配 / Optional

吊 顶：喷砂镜面不锈钢框，暗藏灯带，凸出造型，木纹板装饰，LED筒灯
轿 壁：木饰面，车边艺术玻璃
扶 手：无
地 板：PVC

Ceiling: Mirror stainless steel, acrylic light decoration
Car wall: Hairline stainless steel, combination of stainless steel mirror and stainless steel hairline
Handrail: None
Floor: PVC



STL-V07

选 配 / Optional

吊 顶：不锈钢框架，钛金镜面不锈钢，LED筒灯
轿 壁：镜面不锈钢，钛金镜面蚀刻不锈钢，木纹钢板
扶 手：扁平不锈钢扶手
地 板：PVC


Ceiling: Stainless steel frame with lighting, acrylic plate
Car wall: Mirror etched stainless steel,
hairline stainless steel
Handrail: Sainless steel round handrail
Floor: PVC

STL-V09

选 配 / Optional

吊 顶：玫瑰金不锈钢框架，亚克力灯饰，LED
轿 壁：玫瑰金镜面不锈钢蚀刻，玫瑰金镜面不锈钢
蜂窝大理石
扶 手：扁平木纹扶手
地 板：PVC

Ceiling: Mirror stainless steel, acrylic light decoration, LED down lamp
Car wall: Hairline stainless steel, mirror etched stainless steel
Handrail: None
Floor: Marble



Car decoration

轿厢装潢

STL-V10

选 配 / Optional

吊 顶 : 镜面不锈钢镂空 , 暗藏LED灯带 , LED筒灯
轿 壁 : 镜面不锈钢 , 木饰面
扶 手 : 扶手操纵箱
地 板 : PVC

Ceiling: Plastic spraying,LED lighting
Car wall: Wood finishes,mirror stainless steel
Handrail: None
Floor: Medallion PVC

— Wood —



— 23 —





STL-V11

选 配 /Optional

吊 顶 : 镜面不锈钢 , LED筒灯 , 木质边线
轿 壁 : 木饰面 , 镜面不锈钢
扶 手 : 无
地 板 : PVC

Ceiling:Hairline stainless steel, acrylic transparent board, LED down lamp
Car wall:Hairline stainless steel, observation glass
Handrail:Stainless steel tube
Floor:Marble



STL-V13

选 配 /Optional

吊 顶 : 发纹不锈钢 , LED筒灯
轿 壁 : 镜面蚀刻 , 木纹钢板
扶 手 : 无
地 板 : PVC

Ceiling:Mirror stainless steel, acrylic light decoration
Car wall:Hairline stainless steel, combination of stainless steel mirror and stainless steel hairline
Handrail: None
Floor:PVC



STL-V12

选 配 /Optional

吊 顶 : 雕花木饰面 , LED筒灯
轿 壁 : 雕花木饰面 , 木质框架 , 镜面不锈钢
扶 手 : 无
地 板 : PVC

Ceiling: Stainless steel frame with lighting, acrylic plate
Car wall: Mirror etched stainless steel, hairline stainless steel
Handrail: Stainless steel round handrail
Floor: PVC

STL-V14

选 配 /Optional

吊 顶 : 木质框架 , 亚克力灯饰 , LED筒灯
轿 壁 : 木饰面 , 镜面不锈钢
扶 手 : 无
地 板 : PVC

Ceiling:Mirror stainless steel , acrylic light decoration,LED down lamp
Car wall:Hairline stainless steel, mirror etched stainless steel
Handrail: None
Floor:Marble





European
elegance style

欧式典雅

Car decoration
轿厢装潢


STL-V15

选配 / Optional

吊顶：木质框架，亚克力板，灯带
轿壁：陶瓷镜面白钢板前壁，木饰面
扶手：无
地板：木地板

Ceiling: Wooden frame, acrylic board, lamp belt
Car wall: Ceramic mirror white steel front wall, wood finish
Handrail: None
Floor: Aluminum honeycomb marble


— Elegance —





STL-V16

选 配 / Optional

吊 顶：木质框架，暗藏灯带，LED筒灯
轿 壁：木饰面造型框，钛金镜面蚀刻
扶 手：无
地 板：PVC

Ceiling: Hairline stainless steel, acrylic transparent board, LED down lamp
Car wall: Hairline stainless steel, observation glass
Handrail: Stainless steel tube
Floor: Marble



STL-V18

选 配 / Optional

吊 顶：玫瑰金镜面不锈钢，金箔，LED筒灯
轿 壁：工艺木饰面，玫瑰金镜面蚀刻不锈钢
扶 手：无
地 板：大理石地板

Ceiling: Mirror stainless steel, acrylic light decoration
Car wall: Hairline stainless steel, combination of stainless steel mirror and stainless steel hairline
Handrail: None
Floor: PVC



STL-V17

选 配 / Optional

吊 顶：镜面不锈钢框，亚克力透光板
轿 壁：镜面蚀刻不锈钢组合，黑钛镜面不
锈钢，镜面不锈钢
扶 手：不锈钢圆扶手
地 板：PVC

Ceiling: Stainless steel frame with lighting, acrylic plate
Car wall: Mirror etched stainless steel, hairline stainless steel
Handrail: Stainless steel round handrail
Floor: PVC

STL-V19

选 配 / Optional


吊 顶：玫瑰金镜面不锈钢，丝印PVC大理石纹板
LED筒灯
轿 壁：雕花木饰面，玫瑰金镜面不锈钢
扶 手：实木扶手
地 板：PVC

Ceiling: Mirror stainless steel , acrylic light decoration, LED down lamp
Car wall: Hairline stainless steel, mirror etched stainless steel
Handrail: None
Floor: Marble



Human-machine interface

人机界面



STL-CZ905 选配 / Optional



STL-CZ905 选配 / Optional

按钮/可选
Button/optional



STL-AN002



STL-AN003



STL-AN004



STL-AN005



STL-AN006



STL-AN007

可选操纵箱显示
Optional control box display



STL-T805

6寸液晶显示
6" Liquid crystal display (LCD)



STL-T806

6寸液晶显示
6" Liquid crystal display (LCD)



STL-T808

10寸图片机
10" Picture type display




STL-T809

10寸多媒体机
10" video type LCD display



Landing door series

厅门系列



STL-TM01

有框玻璃门,发纹不锈钢框架
Glass door with hairline stainless steel frame



STL-TM15

发纹蚀刻不锈钢
Hairline stainless steel



STL-TM16

钛金蚀刻不锈钢
Hairline stainless steel

STL-TM17


钛金蚀刻不锈钢
Hairline stainless steel

STL-TM18

钛金蚀刻不锈钢
Glass door with hairline stainless steel frame

STL-TM19

钛金蚀刻不锈钢
Hairline stainless steel



STL-TM20

玫瑰金蚀刻不锈钢
Hairline stainless steel

STL-TM21

钛金蚀刻不锈钢
Hairline stainless steel

STL-TM22

有框玻璃门
Framed glass door

STL-TM23

有框玻璃门
Framed glass door



Handrail series 扶手系列



STL-FS08

STL-FS09

STL-FS10


STL-FS11

STL-FS12


STL-FS13

STL-FS14

Floor series 地板系列



STL-DB09




STL-DB10




STL-DB11



STL-DB12




STL-DB13



STL-DB14



STL-DB15



STL-DB16

色卡系列 Color card series



RAL7035 标配 / Standard
火山灰
Volcanic grey



RAL7036 选配 / Optional
米黄色
Beige



RAL7037 选配 / Optional
苹果绿
Apple green

图片系电脑绘制, 可能与实际略有不同。
The picture is drawn by computer,
which may be slightly different from the reality.

Perfect function

完美功能

安全功能 Safety features

拯救及故障监测
Rescue and trouble monitor

主机过热保护
Host over-heat protection
安全回路分段检测
Safety loop sectional detection

总电源开关箱
Main power switch box
运行小时累计
Accumulated running hours

轿厢位置开关
Car position switch
轿厢紧急停开关-轿顶
Car emergency-stop switch - car-top

轿厢紧急停开关-底坑
Car emergency-stop switch - pit
安全钳安全触点
Safety tongs safety contactor

限速器安全触点
Speed limiter safety contactor
电梯主开关-控制柜内
Main elevator switch - inside control cabinet

禁止开门开关
No-opening switch

B 限速器张紧安全触点
Speed limiter tensioning safety contactor

B 断门触点
Car door contactor

B 轿厢照明主开关盒主保险-控制柜内
Main fuse of car lighting main switch box - inside control cabinet

B 底坑撑杆触点
Pit supporting rod contactor

B 轿顶撑杆触点
Car-top supporting rod contactor

B 手动松闸功能
Manual brake-releasing function

B 紧急轿厢照明
Emergency car lighting

B 手动紧急救援
Manual emergency rescue

B 断电紧急平层ARD
Power-failure emergency leveling ARD

B 应急电话 (一键拨号电话)
Emergency telephone (one-key dial telephone)

B 自动发送救援信息功能 (GSM功能)
Automatic sending function of rescue information (GSM function)

B 家用设备断电应急供电功能 (UPS功能)
Home equipment power-failure emergency power-supply

function (UPS function)

乘客舒适功能 Passengers comfortable function

厅外信息显示
Hall information display

外呼登陆显示灯
Outer calling log-in display lamp
各层均有方向箭头, 层位显示
Directional arrow, landing display at each floor

轿内信息显示
Car information display
内呼登陆显示灯
Inner calling log-in display lamp

超载功能图案及蜂鸣器
Overload functional design and buzzer

轿厢位置指示
Car position indication
运行方向指示
Running direction indication

监控信息
Monitor information
门区指示灯
Door zone indication lamp

运行次数累计
Accumulated running times
一般故障信号
Common trouble signal

优先和特殊服务功能
Prior and special service function

禁止外呼
No outer calling
自动门
Automatic door

各层开门时间可统一调节
Door opening/closing time at each floor can be unanimously adjusted
检修运行
Inspection operation

紧急召回
Emergency recall
测试运行
Testing operation

电梯门未开则自动开往下一站
If elevator door does not open, it automatically goes to next landing
NMS远程监控
NMS long-distance monitor

B 标准功能

Standard features


O 可选功能

Optional features


Civil drawing of deh100 traction household elevator DEH100强驱式别墅电梯土建图

井道立面图

J-J




井道平面图



注: o为选配功能
Note: o is optional function


Civil drawing of deh200 traction household elevator

DEH200钢丝绳曳引别墅电梯土建图




Civil drawing of deh300 traction household elevator

DEH300钢带式曳引别墅电梯土建图




Civil drawing of deh400 traction household elevator

DEH400钢丝绳曳引别墅电梯土建图



Civil drawing of deh300 traction household elevator

DEH500钢带式曳引别墅电梯土建图



Internet of things technology

物联网科技




— 43 —

物联网云监控平台

采用先进传感技术采集电梯实时运行数据，通过微处理器进行数据分析、建模和建立故障专家库，采用GPRS+GSM的通讯模式将数据传输到监视中心，实现电梯故障预警和报警、困人救援、日常管理、质量评估、隐患防范、风险评估、对讲系统、节能技术开发等功能的综合性电梯管理平台。

Iot cloud monitoring platform

It applies the advanced sensor technology to collect the elevator real-time running data. It analyses data, builds modelling, and establishes trouble specialist base through micro-processor. Also, it applies GPRS+GSM communication pattern, which realizes the comprehensive elevator management platform with various functions including early warning and alarming of troubles, rescue of trapped passengers, daily management, quality evaluation, hidden danger prevention, risks evaluation, talkback system, energy-saving technology, and so on.



— 44 —